

dk; kÿ; I a Dr I pkyd I g v/h{k;d
Lo- Jh chvkj- d'; i Lefr 'W0fp0egk0 I g egkjkuh vLirky txnyij

Ø- @Lfk@2015@ txnyij] fnukd @ @2015

&%nok vki fRr I puk %&

fpfdRLky; ds iEi vVMBV fjDr inka ij I h/h HrtZ gsq
fpfdRI ky; I sfokkiu delad 285@Lfk@2012 txnyij] fnukd 03-12-2012
i d kjr fd;k x;k FKA ftI ds vUrxr iDr vlonuka ds LdVuh mijka iEi
vVMBV in gsq nok vki fRr I ph osI kbV/ bastar.gov.in ,oa I a Dr
I pkyd ,oav/h{k;d egkjkuh vLirky txnyij] ds I puk iVy ij voykduFKZ
pLk gA nok vki fRr gsqvlonu dk vk'k; ;g dnki ugh gSfd mDr vkofnr
inla I s I a fRr NwsggsfdI h Hh idkj dk nLrkoI I yXU djus dh vufr
elkh tkosa bl idkj dsfdI h Hh vlonu ij fopkj ughafd;k tk; xkA fdI h
mEemokj dksfdI h Hh idkj dh vki fRr gks rks I puk idk'ku fnukd I s 10
fnol ds vuhj viuk nok vki fRr dk; kÿ; hu I e; ea dk; kÿ; ea iLrq dj
I drsgA fu/Wjr frfK dscln iDr nok&vki fRr eU; ughagkxhA

I a Dr I pkyd ,oav/h{k;d]
egkjkuh vLirky txnyij

List of Applications for pump Att. ik= mEemokjsdh I ph

1	2	3	4	5	6	7	8	9	10	11	12	13	8 ohacl i hkd			17	18	19	20	21	22
													14	15	16						
1	2	t; idk'k fo'odekl	Jh jk/ks; ke ' ; ke fo'odekl@xt-iks jks dkl/ ftyk clrj	M	941652	Gen		14-04-82	29	gla	gla	1	437	600	72.8	8	4y	gla	7587088394-9981343514	ik=	
2	4	rylnz dckj I kgw	Jh fo'oukfk I kgw Doka &2@23 vkdk'k ok.kh dkykuh txnyij ftyk clrj	M	0.59465	Gen		21-09-82	30	gla	ugla	0	299	600	49.8	4	2y	gla	07728-237126	ik=	
3	5	fojlnz dckj Bkdj	Jh cyhjke Bkdj@'kk- du; k iklyhVduhd dkykst /kjeigk u&2 txnyij ftyk clrj	M	0.01933	Gen		2/7/1980	31	gla	gla	2	365	600	60.8	10	5y	gla	9406558187	ik=	
4	9	ryd k dckj JhokLro	Jh dsi h JhokLro@ f'ko einj okMZ egkno ?kkV pkcl txnyij ftyk clrj	M	934617	Gen		18-05-83	29	gla	ugla	0	306	600	51.0		yes	gla	0772-225256	ik=	
5	10	vjfolnz okl q	Jh ,e-ds okl @ enj Vjd k okMZ fe'ku Ldty ds ihNs txnyij	M	934911	Gen		28-04-80	32	gla	gla	1	337	600	56.2	4	yes	gla	No	ik=	

List of Applications for pump Att. ik= mEhmokjsh I ph

delał	Okbų delał	ule	fir@ifr dk uke ,oa irk	iw 'l@efgyk	MkQV@ih vk u0	oxZ	tfr I R;kiu	tle frffk	vk; q	clrj I hox dk fuok h	fookgr	tfor cpłedh I f; k	8 ohađk i hkd			vufko val	vufko	tfor i a; u	ekou0	ik=@ vik=	fjekdZ
													i hkd	i ukad	ifr'kr-						
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
6	12	r: .k dękj jk;	Jh dkfrđ plnzjk; @ Jh bZoj c?ky yky cxx vkekxMk	M	0.01061	Gen		31-12-79	33	gka	gka	1	408	600	68.0		yes	gka	7587445327	ik=	
7	15	I arksk	Jh y{ehukfk@ tkedM/ ikjk dksMkxkđ ftyk dksMkxkđ	M	574775-76	Gen		30-06-83	29	gka	ugha	0	217	600	36.2		yes	gka	9424276354	ik=	
8	16	uw y gđ ų	xgyke gđ ų@ C; Wł dš j ds ihNs f'kr yk ikjk dkdĵ	M	845762	Gen		2/6/1986	26	gka	ugha	0	216	500	43.2		yes	gka	8962779866	ik=	
9	7	ykdšoj mlntk	Jh dlig\$ k yky mlntk@ cpsyh AA 844 , I -Vh- dkWksh iksvk cpsyh ftyk nłrođMk	M	014298-99	Gen		25-08-87	25	gka	ugha	0	445	600	74.2		yes	gka	9406205789	ik=	
10	37	iFohjkt fl g	Jh dsđsfl g jktokMk jktegy txnyij	M	151061	GEN		12/6/1979	32	gk	gk	1	352	600	58.7	4	2	gka	9981775927	ik=	vVMV dk; Z dk vuttko
11	11	Hki šnz fl g	Jh jkexjhc fl g I jih bđjuškuy gk/y ds I keus xhne jkM txnyij	M	089485	Gen		8/16/1989	23	gka	ugha	0	414	650	63.7		yes	gka	8982199906 9424285740	ik=	

List of Applications for pump Att. ik= mEhmokjsh I ph

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
deh	Okjy deh	ule	firk@ifr dk ule , oad irk	iw 'k@efgyk	MkQV@ih vk u0	oxZ	tKf I R;kiu	tUe frffk	Vk; q	clrj I Mox dk fuok h	fookgr	tfor cploch I q; k	i M'ked	i ukad	i fr'kr-	vufjo val	vufjo	tfor i at; u	ekou0	ik=@ vik=	fjekdz
1	2	3	4	5	6	7	8	9	10	11	12	13	8 ohaek i M'kd			17	18	19	20	21	22
12	22	vfflkuk' k fl g	Jh ,p-, l- fl x@Mksjh ikjk Ostjig txnyig vkjrh fdjkuk ds l keus fityk clrj	M	634606801-02-03/967569/ 947030-31/549165-66- 67/783813-14-15	Gen		6/10/1979	33	gka	gka	1	421	600	70.2		NO	gka	9424298458	ik=	
13	36	etuk yky fu'kn	Jh jkeyky fu'kn@ ifyl ykbu ds ihNs cpsyh ftyk nrokmk	M	574111-112	OBC		10/7/1982	32	gka	ugha	0	280	600	46.7		NO	gka	9.408E+09	ik=	

List of Applications for pump Att.

vik= mEemokjsh I ph

deled	Qibý deled	uke	firk@ifr dk uke , oairk	iw "l@efgyk	MQV@ihvk u0	oxl	tMf IR;kiu	t le frffk	vk; q	clRj I Mx dk fuokl h	fookgr	tfor cplædh I f; k	iNrled	i uMæl	ifr'kr- vuko	vnl	vutko	tfor iáh; u	elou0	ik=@ vik=	fjeldZ
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
1	17	Hkkj Fkh eks Z	Jh ekl yke eks Z@ xk- iks pidk@ rhjt ijk ftyk clRj Fkkuk Hkku i gh	M	574306	ST		15-01-90	22	gka	ugha	0	278	500	55.6		NO	gka	No	vik=	ia vVsMj dk vutko ugha
2	18	vke i d kn urke	Jh /kufi x urke@ xk- clxcMk i ks yMk rg- ekadMh ftyk dks Mxkæ	M	209899	ST		4/2/1992	20	gka	0	0	183	500	36.6		NO	gka	No	vik=	ia vVsMj dk vutko ugha
3	19	I nj jke ukx	Jh ?kkl hjke ukx@ xk- iks e/krk [kMdk ijk ftyk clRj	M	941679	ST		2/3/1981	32	gka	gka	3	325	600	54.2		NO	gka	No	vik=	3 cPps gkus ds dkj.k , oa vutko ugha
4	20	uhjat u	Jh ' ; keyky@ xk- dfigjko.M u; ki jk txnyij ftyk clRj	M	No DD	ST		5/6/1974	39	gka	gka	1	210	600	35.0		NO	gka	9907818834	vik=	Mh-Mh- I yXu ugha

List of Applications for pump Att.

vik= mEelnokjsh I ph

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
deleð	Qlbyð deleð	uke	firk@ifr dk uke , oairk	iw "l@efgyk	MKQV@ihvk u0	oxl	tMR IR;kiu	t le frffk	vk; q	clRj I Hkx dk fuokl h	fookgr	tfor cplædh I f; k	iNrleð	i uRleð	ifr'kr- vuko	vnl	vutko	tfor iáh; u	eou0	ik=@ vik=	fjeldz
5	21	pjxjike c?ky	Jh exyijke c?ky@ ekrk Hkxorh efgyk fl ykbz dlnz eqMkxko fityk cLrj	M	0.88245	ST		4/3/1975	37	gka	gka	0	252	600	42.0		yes	gka	No	vik=	vutko rkj fel=h @ vk; qvf/kd
7	23	deylnz dækj feJ	Jh y{ehdkUr feJ@ xk ið ukj i ksrq- Hkjex<+fityk fctki j	M	929495	Ge n		1/5/1985	27	gka	ugha	0	367	500	73.4		NO	gka	9425263140	vik=	iä vVsMj dk vutko ugha
8	24	mešk ið kn feJk	Lo- ek/ko ið kn feJk@ vofrdk dklykuh Dok ua&b&1 txnyij fityk cLrj	M	934614	Ge n		3/1/1985	27	gka	ugha	0	201	500	40.2		NO	gka	8817346996	vik=	iä vVsMj dk vutko ugha

List of Applications for pump Att.

vik= mEelnokjksdh l ph

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
deleð	Qlbyð deleð	uke	firk@ifr dk uke , oairk	iw "l@efgyk	MKV@ihvk u0	oxl	tMf IR;kiu	t le frffk	vk; q	clRj l Hlx dk fuokl h	fookgr	tifor cPplædh l f; k	iNrlæð	i ukkæð	ifr'kr~	vuko vnl	vuko	tifor iáh; u	elou0	ik=@ vik=	fjeldZ
9	25	dihy /ot tkskh	Jh jktšk tkskh @ xk- xMly vkol lykV ekrk eñj dsikl iks dkgdkiyk cyk cdko.M ftyk clRj	M	5/10/1984	Ge n		5/10/1984	29	gka	gka	1	185	600	30.8		NO	gka	9691428904	vik=	ia vVsMj dk vutko ugha
10	26	fctšk dekj nkl	Jh ctšk dekj nkl @Jh dk'kh fo'oukFk nkl Hkj eno okMZ txnyij ftyk clRj	M	NoDD	Ge n		1/4/1981	31	gka	gka	0	324	600	54.0		NO	gka	No	vik=	Mh-Mh- l yXu ugha

List of Applications for pump Att.

vik= mEelmokjsh I ph

deled	Qibý deled	uke	firk@ifr dk uke , oairk	iw "l@efgyk	MQV@ihvk u0	oxl	tMf IR;kiu	t le frffk	vk; q	clRj I Hkx dk fuokl h	fookgr	tifor cPpladh I f; k	iNrled	i uokel	ifr'kr~ vuko	vnd	vutko	tifor iáh; u	e0u0	ik=@ vik=	fjeldZ
1	2	3	4	5	6	7	8	9	10	11	12	13	8 oadk i hkd	15	16	17	18	19	20	21	22
11	27	cky d".k i kuhxtgh	Jh iQQw døkj i kuhxtgh@ nyir I kxj okMZ d&18 fgdehi kjk dlugš k fdjkuk LVkj ds I keus txnyij ftyk clRj	M	0.86536	Ge n		13-01-85	28	gka	ugha	0	354	600	59.0		NO	gka	9407920029	vik=	i ä vVsMj dk vutko ugha
12	28	Hkhe I u tkskh	Jh plnzdkur tkskh@ 'kdj uxj vkekxdk txnyij ftyk clRj	M	0.59517	Ge n		11/7/1979	33	gka	gka	2	325	600	54.2		NO	gka	9.908E+09	vik=	i ä vVsMj dk vutko ugha
13	29	I qhy døkj ik<h	Jh cšukFk ik<h@ ihBkiij iks uyiko.M ftyk clRj	M	565825	Ge n		5/6/1979	33	gka	gka	1	247	600	41.2		yes	gka	No	vik=	futh I äFku I svutko
14	31	I at; døkj I kgw	Jh v'ouh døkj I kgw@ ysxkkaftyk jk; ij	M	No DD	OB C		10/2/1992	20	ugha	ugha	0	233	500	46.6		NO	gka	No	vik=	clRj I Hkx I sckgj

List of Applications for pump Att.

vik= mEemokjsh I ph

deled	Qlkjy deled	uke	firk@ifr dk uke , oairk	iw "l@efgyk	MQV@ihvk u0	oxl	tMf IR;kiu	t le frffk	vk; q	clRj I Mx dk fuokl h	fookgr	tfor cPpladh I f; k	iNrled	i uokel	ifr'kr~ vuko	vnl	vuko	tfor iath; u	eou0	ik=@ vik=	fjeldz
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
15	32	yEcmkj Bkdj	Jh igykn fl g @ clRj fo'ofok ky /kjeijyk txnyij fityk clRj	M	574322-23	OB C		15-5-78	33	gka	gka	2	249	500	49.8		NO	gka	No	vik=	1 o"K dk vutko ugha
16	33	dkey fd'kkj ;kno	Jh x.kk jke ;kno@ f'ko efinj d&3 pkeMk efinj ds l keus egkno ?kkV txnyij fityk clRj	M	574807-08	OB C		29-04-82	30	gka	ugh	0	273	600	45.5		NO	gka	9406310499	vik=	ia vVsMj dk vutko ugh
17	34	fgrlnz dekj Bkdj	Jh l keukfk Bkdj@ iYyhxko iks dfijko.M rg txntyij fityk clRj	M	884305	OB C		12/8/1970	41	gka	gka	2	300	600	50.0		yes	gka	9754014899	vik=	vk; qvf/kd

List of Applications for pump Att.

vik= mEemokjksdh l ph

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
deleð	Qibý deleð	uke	firk@ifr dk uke , oairk	iw "l@efgyk	MQV@ihvk u0	oxl	tMf IR;kiu	t le frffk	Vk; q	clRj l Hkx dk fuokl h	fookgr	tfor cplædh l f; k	iNræð	i uNæð	ifr'kr~	vuko vnl	vutko	tfor iáh; u	e0u0	ik=@ vik=	fjeldz
18	35	xki ky jk;	Jh l Yyj l eš k@ xk- i ks ennM rg- Hkki ky iVue ftyk chtki j	M	943609	OB C		10/6/1986	26	gka	ugha	0	451	500	90.2		NO	gka	7587460612	vik=	iä vVsMj dk vutko ugha
19	36	eþuk yky fu"kn	Jh jkeyky fu"kn@ ifyl ykbzu ds ihNs cpsyh ftyk nrokkMk	M	574111-112	OB C		10/7/1982	32	gka	ugha	0	280	600	46.7		NO	gka	9.408E+09	vik=	futh l aFku l svutko
20	3	vke izdk'k >k	Jh jkt dekj >k@ ijjuk xhne ukdk ds van ekMh; k l jk; sds cktw l Md l sfrjxka pkd xakuxj okMZ txnyij	M	934801	Ge n		25-08 89	23	gka	gka	0	236	500	47.2	2	1y	gka	9407995145	vik=	ik'kñ }kjk vutko veku;

List of Applications for pump Att.

vik= mEemokjksdh l ph

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
deleð	Qlbyð deleð	uke	firk@ifr dk uke , oairk	iw "l@efgyk	MQOV@ihvk u0	oxl	tMf IR;kiu	t le frffk	Vk; q	clRj l Mx dk fuokl h	fookgr	tfor cPplædh l f; k	iMrlæð	i uMæð	ifr'kr~	vuko vnl	vuko	tfor iáh; u	elou0	ik=@ vik=	fjeldZ
21	6	vflk"kd i k&t	Jh fojðnz ik<h@ ih-th dkWyst ds ihNs /kjei gjk ua&2	M	#	Ge n		12/6/1992	20	gka	ugha	0	334	500	66.8		5y	gka	9406098365	vik=	futh l ðFkku l svuttko
22	8	ihysjke nokxu	Jh l pleu nokxu@ xt-iks eyeyk ftyk dks Mlxkð	M	0	Ge n		10/8/1989	23	gka	ugha	0	301	500	60.2	4	2y	gka	8878356826	vik=	ekU; rk iklr l ðFk l s vuttko ugha
23	13	l at; ukx	Jh tkxðnz ukFk@ ekuo l xtgY; ds l keusfp=dks/ jkM txnyij ftyk clRj	M	421390	Ge n		25-11-81	31	gka	gka	2	221	600	36.8		yes	gka	8109133530	vik=	futh l ðFkku l svuttko
24	14	Jherh dks' ky;	Jh yfyr ið kn @ xt iks fgjikj rg- ekdMh ftyk dk. Mlxkð	M	0.27994	OB C		2/2/1984	27	gka	gka	2	229	500	45.8		NO	gka	9907306373	vik=	i á vVsMj dk vuttko ugha

List of Applications for pump Att.

vik= mEelnokjksdh l ph

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
delad	Qibý delad	uke	firk@ifr dk uke , oairk	iw "l@efgyk	MQV@ihvk u0	oxl	tM IR;kiu	t le frffk	vk; q	clRj l Mx dk fuokl h	fookgr	tfor cPpladh l f; k	iNrled	i uNkd	ifr'kr~	vuko vnl	vuko	tfor iá; u	elou0	ik=@ vik=	fjeldz
25	30	xušk jke nhoku	Jh tk; fl g nhoku@ xt-iks fxjksyk rg-ftyk dks Mxkø	M	220870	OB C		10/5/1984	28	gka	gka	2	176	500	35.2		NO	gka	9993626301	vik=	iä vVsMj dk vutko ugha
26	1	ykyk jke iVy	Lo- l ghtukFk iVy@ xt- ?kkVinej MkkVxMk½ iks/kjeijk txnyij ftyk clRj	M	57 42 80- 81	OB C		12/8/1979	33	gka	gka	1	215	500	43.0		yes	gka	9406153500	vik=	vutko rkj feL=h